

City of Spring Lake Park

1301 81st Avenue NE Spring Lake Park, MN 55432

PH: 763-784-6491 Fax: 763-792-7257

www.slpmn.org

Fence Information

The purpose of regulating fences is to promote a pleasant physical environment and to protect the public and private property within the City by regulating the location, height, type of construction, and maintenance of all fences.

YOU MUST HAVE YOUR PROPERTY STAKES LOCATED AND EXPOSED BEFORE A PERMIT WILL BE ISSUED.

The owner/contractor is responsible for locating the property corner markers prior to applying for a fence permit. If the iron lot corner pins cannot be found, the applicant is to contact a Land Surveyor to reestablish the lot comers before commencing with the fence building. If there is any dispute by your neighbors and/or the inspector as to exact location of a property line, the applicant is to contact a Land Surveyor to locate such property line(s). A metal detector can be useful to find the iron comer marker pins. Refer to your property survey for lot dimensions. When an inspector comes out to inspect your fence, they will need to see your exposed property stakes.

If you are wishing to connect your fence to any adjacent property fences which are not yours, you must first get written approval from the neighbor and include such written approval with your fence permit application.

PERMIT REQUIRED

No fence shall be erected or substantially altered without obtaining a zoning permit from the Building Inspections Department. The fee for a fence permit is \$60.00.

DEFINITIONS

Fence:

A fence is defined as any partition, structure, wall, or

gate erected as a divider marker, barrier or enclosure and located along the boundary, or within the required yard. For the purpose of this Section, a fence shall not include_naturally growing shrubs, trees or other foliage.

LOCATIONS OF FENCES

Please review the Spring Lake Park handout: "Property Line Locations" and "Certificate of Survey/Site Plan" for more information regarding your property line locations and requirements. Fences, when constructed to enclose any lot or tract of land, shall be located in such away that the entire fence shall be on the property of the owner. Posts and framework shall be placed within six inches of the property lines of the owner and the actual finished fencing material, such as wire, lumber, pickets, etc., shall be placed on outside of the fence which faces the street or adjacent property.

No fences shall be allowed or constructed on street right-of-ways. Fences may, by permit, be placed on public utility easements so long as the structures do not interfere in any way with existing underground or over ground utilities. Further, the City of any utility company having authority to use such easements shall not be liable for repair or replacement of such fences in the event they are moved, damaged or destroyed by virtue of the lawful use of said easement.

CONSTRUCTION AND MAINTENANCE Every

fence shall be constructed in a workmanlike manner and of substantial material reasonably suited to the purpose for which the fence is to be used. Every fence shall be maintained in a condition of reasonable repair and shall not be allowed to become and remain in a condition, which would constitute a public nuisance, or a dangerous condition. If such a fence is allowed to become and

remain in such condition, a Building Inspector is authorized to notify the owner or owners of such fences of the condition and allow owner or owners ten (10) days in which to repair or demolish the fence.

Link fences, where permitted, shall be constructed in such a manner that the barbed end is at the bottom of the fence.

No barbed wire or barbed wire fences shall be allowed on private property in residential zones. No barbed wire or barbed wire fences shall be allowed on private property in business or industrial zones where the property lines of such property abut lots or parcels adjacent to residential districts.

All fences shall be constructed in conformity with the wind, stress, foundation, structural and other requirements of the Minnesota State Building Code.

RESIDENTIAL FENCES

In all residential districts, fences shall have the following setbacks and heights limitations:

Front Yard -Maximum height of four (4) feet above ground level in front of the front face of the residential structure.

Side Yard - Maximum height of six (6) feet above ground level.

Rear Yard - Maximum height of six (6) feet above ground level.

The required front yard of a corner lot shall not contain any fence that may cause danger to traffic on a street or public road, by obscuring the view. On comer lots, no fence higher than 36 inches shall be permitted within the 50-foot intersection sight distance triangle.

COMMERCIAL AND INDUSTRIAL FENCES

In business and industrial zones, fences may not exceed eight (8) feet in height above the ground level, and the use of barbed wire is prohibited, except that the top one (1) foot of any fence along side or rear lot lines in these zones may be constructed or barbed wire. Barbed wire is also permitted for the top one (1) foot of fences in

industrial zones when fronting a public street and placed no closer than the parking setback. Barbed wire shall not be permitted adjacent to any residential district.

FENCING BETWEEN COMMERCIAL/INDUSTRIAL AND RESIDENTIAL ZONE

Whenever a Residential zone is adjacent to or across the street from a Commercial/Industrial zone, the commercial or industrial land owner/developer must provide a minimum six (6) foot high fence for screening. The fence shall not have less than ninety (90) percent opacity for screening purposes.

SPECIAL PURPOSE FENCES


Fences for special purpose and fences differing in construction, heights, or location, may be permitted in any commercial or industrial district in the city, only be issuance of a conditional use permit approved by the City Council after a recommendation by the Planning Commission, and upon evidence that such special purpose fence is necessary to protect, buffer, or improve the premises for which such fence is intended. The approval of such buffer fences may include stipulations as to the material, heights, or location of such special purpose fences.

NON-CONFORMING FENCES

All existing fences, at the time of the adoption of this Section, which are not in violation of this Section and are not located within a public right-of-way or easement, but which violate other Sections of this Code, may be continued to be maintained and to exist but may not be replaced, if destroyed or removed, to the extent that the violations be continued.


QUESTIONS?

If you have questions about the information in this handout, please contact City Hall (763) 784-6491 or email info@slpmn.org.



STRFFT

CORNER LOT CLEARANCE REQUIREMENT





CITY OF SPRING LAKE PARK ZONING PERMIT APPLICATION

1301 Eighty-First Avenue NE Spring Lake Park, MN 55432 Fax: (763) 792-7257

Applicant MUST sign & date before accepting

1.	Job Address:		rippiiodine moor digit di date belore accept	
	Spring Lake Dayle Minner at 55400			
2.	Spring Lake Park, Minnesota 55432 Owner: Email:			
	Address:		Phone No.:	
3.	Contractor:		License No.	
	Address:		Email:	
	Phone No:	Cell Phone:		
4.	Architect or Engine		Fax No:	
	Address:		License No:	
_	Type of Work:	☐ Fence ☐ Shed	Phone No.	
5.	Type of Work.	☐ Shed☐ Other Structures (under 200 s	(under 200 square feet) equare feet) Driveway	
	Describe Work to b	ribe Work to be Done:		
-	Estimated Value of	Work: \$	Estimated Date of Completion:	
IF CONSTRUCTION OR WORK IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AT ANY TIME AFTER WORK IS COMMENCED THE ZONING PERMIT SHALL BECOME NULL AND VOID. I HEREBY CERTIFY THAT I HAVE READ AND EXAMINED THIS ZONING PERMIT APPLICATION AND KNOW THE SAME TO BE TRUE AND CORRECT. ALL PROVISIONS OF LAWS AND ORDINANCES GOVERNING THIS TYPE OF WORK WILL BE COMPLIED WITH WHETHER SPECIFIED HEREIN OR NOT. THE GRANTING OF A PERMIT DOES NOT PRESUME TO GIVE AUTHORITY TO VIOLATE OR CANCEL THE PROVISIONS OF ANY OTHER STATE OR LOCAL LAW REGULATING CONSTRUCTION OR THE PERFORMANCE OF CONSTRUCTION. ZONING PERMIT APPLICATION CHECKLIST: Two (2) Site Plans or Surveys Two (2) Driveway details - type, thickness, and reinforcement Two (2) Proposed Elevation Plans (Sheds) Two (2) Proposed Elevation Plans (Sheds) Two (2) Fence details - type, heights, finish.				
Sign	ature of Contractor or Au	thorized Agent Date	Date received: Initials: Zoning County Health Dept. Fire Dept. Soil Report	