

Lead in Drinking Water

APPROVED 10/30/2024

Lead is a poisonous metal that can cause long-term health and behavioral problems. The main way people come in contact with lead in Minnesota is through lead-based paint in homes built before 1978. There are also many other ways to come in contact with lead, including through drinking water. The two largest sources of lead in drinking water are lead in pipes that connect homes with city water called lead service lines and lead in household plumbing.

Health Effects

Coming in contact with lead can cause serious health problems for everyone. There is no safe level of lead. Babies, children under six years, and pregnant women are at the highest risk. Drinking, breathing, eating or touching food, water and other materials that contain lead can damage the brain, kidneys, and nervous system. In children, lead can also slow development or cause learning, behavior, and hearing problems.

From Environmental Protection Agency

Exposure to lead in drinking water can cause serious health effects in all age groups. Infants and children can have decreases in IQ and attention span. Lead exposure can lead to new learning and behavior problems or exacerbate existing learning and behavior problems. The children of women who are exposed to lead before or during pregnancy can have increased risk of these adverse health effects. Adults can have increased risks of heart disease, high blood pressure, kidney or nervous system problems.

How to protect yourself and your family

You may be in contact with lead through paint, water, dust, soil, food, hobbies, or your job. Visit [Common Sources of Lead \(https://www.health.state.mn.us/communities/environment/lead/fs/common.html\)](https://www.health.state.mn.us/communities/environment/lead/fs/common.html) to learn how to reduce your contact with lead from sources other than your drinking water.

Lead can get in your drinking water as it passes through the plumbing in your house or when it sits in lead pipes for a while. Read below to learn how to protect yourself from lead in your drinking water.

- **Let the water run** for at least 1 minute before using it for drinking or cooking if the water has not been turned on in over six hours. If you have a lead service line connecting your home to city water, you may need to let the water run 3 – 5 minutes.
- **Use cold water** for drinking, making food, and making baby formula. Hot water releases more lead from pipes than cold water.
- **Test your water.** In most cases, letting the water run and using cold water for drinking and cooking should keep lead levels low in your drinking water. If you are still concerned about lead, arrange with a laboratory to test your tap water. Testing your water is important if young

children or pregnant women drink your tap water. All testing should be done through an accredited laboratory. Contact a [Minnesota Department of Health accredited laboratory](https://eldo.web.health.state.mn.us/public/accreditedlabs/labsearch.seam) (<https://eldo.web.health.state.mn.us/public/accreditedlabs/labsearch.seam>) to purchase a sample container and instructions on how to submit a sample. You can also contact your county or water utility to see if they have any programs to make testing your water easier.

- **Get the lead out.** Find out if you have a lead service line connecting your home to city water by contacting your system's water utility. If you do have a lead service line, make plans to get it replaced by coordinating with your water utility. If your home has plumbing fixtures made before 1986, you may want to consider replacing them with newer, lead-free fixtures if testing shows lead is present and is not reduced by letting the water run.
- **Treat your water.** If you cannot find the source of lead and letting the water run does not reduce lead levels, you may need to consider a water treatment option such as a certified filter for lead removal. See [Home Water Treatment Fact Sheet](https://www.health.state.mn.us/communities/environment/water/factsheet/hometreatment.html) (<https://www.health.state.mn.us/communities/environment/water/factsheet/hometreatment.html>) for more information.

If you have a private well

Lead is not usually found in well water. Lead may enter your drinking water as it travels from your well through your plumbing system. Wells, pipes, solder, and fixtures

built before 1995 may have parts that have lead in them. Visit [Lead in Well Water Systems](https://www.health.state.mn.us/communities/environment/water/wells/waterquality/lead.html) (<https://www.health.state.mn.us/communities/environment/water/wells/waterquality/lead.html>) to learn more. Make sure you use cold water and let it run before using it for drinking and cooking. You are responsible for keeping your well water safe and testing it as needed.

If you are on a public water system

All community water systems (serving where you live) follow the U.S. Environmental Protection Agency (EPA) standards for testing for lead and copper. They also follow EPA standards to ensure water does not easily dissolve lead and copper while moving through pipes. You can find the levels of lead and copper your community water system detected by looking at your Consumer Confidence Report (CCR), also known as an annual drinking water quality report. You can call your community water system to get a copy of the report, or you may be able to find it online at [Consumer Confidence Reports](https://www.health.state.mn.us/communities/environment/water/com/ccr.html) (<https://www.health.state.mn.us/communities/environment/water/com/ccr.html>)

Non-community systems serving schools, offices, factories, and childcare facilities follow the EPA standards for testing for lead and copper; you can contact your non-community system to find the level of lead detected in the system.

Non-community systems serving restaurants, resorts, and campgrounds are not required to test for lead.

Lead can get into your drinking water as it passes through your house's plumbing. If you live in a house built before 1986, you may have lead parts in your system. Make sure you use cold water and let the water run before using it for drinking and cooking. The only way to know how much lead is in your drinking water is to test the water from your tap.

Background

Lead occurs naturally and has been used in many products worldwide, going back to at least the Roman Empire. As lead has been studied over the years, we keep identifying additional ways that it is toxic. Levels that were once considered safe are now dealt with as a medical emergency. The EPA continues to research lead to decide if more actions are needed. A law passed in 1986 restricts how much lead can be used in plumbing parts. In 2014, the 1986 law was made even stricter. Some plumbing parts still have minimal amounts of lead in them. Other parts are now made of materials other than lead; one of those materials is copper. Like lead, copper can also dissolve into water, and too much copper can be harmful to you. Read more about [Copper in Drinking Water](https://www.health.state.mn.us/communities/environment/water/contaminants/copper.html) (<https://www.health.state.mn.us/communities/environment/water/contaminants/copper.html>).

The EPA has an action level of 15 parts of lead per billion parts of water (ppb) for public water systems. Therefore, a public water system must take action to reduce the amount of lead in the water if more than 10 percent of the water samples have lead levels over 15 ppb. This is an action level; there is no safe level of lead in the water.

Lead in Minnesota

The number of people with reported high blood lead levels in Minnesota has been decreasing since at least the 1990s. The most common way for Minnesotans to come in contact with lead is through lead-based paint found in homes built before 1978.

In 2021, only 4 out of 1,441 tested public water systems in Minnesota went over EPA's lead action level. These systems are finding ways to correct the issue. There can still be lead in drinking water in Minnesota homes depending on when homes were built. Homes built before 1940 may have lead service lines that connect them to public water. In addition, plumbing parts made before 1986 may contain lead.

Learn more about lead levels in Minnesota.

- [MN Public Health Data Access Portal: Childhood Lead Exposure](https://apps.health.state.mn.us/mnda/lead/) (<https://apps.health.state.mn.us/mnda/lead/>)
- [Lead Poisoning Prevention Reports](https://www.health.state.mn.us/communities/environment/lead/reports.html) (<https://www.health.state.mn.us/communities/environment/lead/reports.html>)
- [Drinking Water Protection Annual Reports](https://www.health.state.mn.us/communities/environment/water/dwar.html) (<https://www.health.state.mn.us/communities/environment/water/dwar.html>)

What is MDH doing

[Lead programs](https://www.health.state.mn.us/communities/environment/lead/index.html) (<https://www.health.state.mn.us/communities/environment/lead/index.html>) at MDH work with state and local partners to find and eliminate lead hazards in homes, retail goods, and other areas. MDH also regulates public water systems by:

- Approving public water systems' treatment plans
- Enforcing the Safe Drinking Water Act (SDWA) which has a specific part addressing lead and copper.
See [Background on Drinking Water Standards in the Safe Drinking Water Act \(SDWA\)](https://www.epa.gov/sdwa/background-drinking-water-standards-safe-drinking-water-act-sdwa) (<https://www.epa.gov/sdwa/background-drinking-water-standards-safe-drinking-water-act-sdwa>).

- Testing public water supplies

MDH keeps track of blood lead levels in Minnesota. MDH also makes sure children and pregnant women with high blood lead levels get help to reduce lead risks. Through outreach, MDH helps people learn about the risk of lead and how to reduce contact with lead. MDH provides guidance for:

- [Lead in Well Water Systems](http://www.health.state.mn.us/divs/eh/wells/waterquality/lead.html) (<http://www.health.state.mn.us/divs/eh/wells/waterquality/lead.html>)
- [Reducing Children's Exposure to Lead in Drinking Water \(PDF\)](https://www.health.state.mn.us/communities/environment/water/docs/contaminants/lead.pdf) (<https://www.health.state.mn.us/communities/environment/water/docs/contaminants/lead.pdf>)
- [Lead in Drinking Water in Child Care Settings](https://www.health.state.mn.us/communities/environment/water/schools/childcare.html) (<https://www.health.state.mn.us/communities/environment/water/schools/childcare.html>)

What are others doing

Many local, state, and national agencies work on lead issues around the country. The web pages below are some key sources for more lead information:

- [Centers for Disease Control and Prevention: Lead Poisoning Prevention](https://www.cdc.gov/nceh/lead/prevention/default.htm) (<https://www.cdc.gov/nceh/lead/prevention/default.htm>)
- [EPA: Lead Hotline—The National Lead Information Center](https://www.epa.gov/lead/forms/lead-hotline-national-lead-information-center) (<https://www.epa.gov/lead/forms/lead-hotline-national-lead-information-center>)
- [EPA: Drinking Water Contaminants—Standards and Regulations](https://www.epa.gov/dwstandardsregulations) (<https://www.epa.gov/dwstandardsregulations>)
- [Minneapolis Public Works: Lead Fact Sheet](https://www.minneapolismn.gov/resident-services/utility-services/water/water-quality/lead/lead-facts/) (<https://www.minneapolismn.gov/resident-services/utility-services/water/water-quality/lead/lead-facts/>)
- [Are your pipes made of lead? Here's a quick way to find out – Minnesota Public Radio](https://www.mprnews.org/story/2016/06/24/npr-find-lead-pipes-in-your-home) (<https://www.mprnews.org/story/2016/06/24/npr-find-lead-pipes-in-your-home>)

Minnesota Department of Health
Environmental Health Division
651-201-4571
www.health.state.mn.us

10/30/2024

To obtain this information in a different format,
call: 651-201-4571. Printed on recycled paper.

Copper in Drinking Water

Copper is a metal that is found naturally in rock formations. Your body needs some copper to stay healthy, but too much is harmful. It is used to make many products, including parts for plumbing systems. Copper can get into your drinking water as the water passes through your household plumbing system if it contains copper piping or parts. Copper is rarely found at high levels in groundwater in Minnesota.

Health Effects

Eating or drinking copper does not usually cause illness in most healthy people. Most people's bodies process copper effectively.

However, it is possible that eating or drinking too much copper can cause headaches, vomiting, diarrhea, stomach cramps, nausea, liver damage, and kidney disease. High levels of copper may damage red blood cells and may also reduce the ability of red blood cells to carry oxygen. Male fertility may be affected by high levels of copper. People with Wilson's disease and some infants (babies under one year old) are more sensitive to copper. Their bodies are not able to get rid of extra copper easily.

Healthy people usually do not have illness associated with eating or drinking copper because their bodies are able to maintain an appropriate level of copper through normal functioning of body systems. For more information, visit [Copper | The Nutrition Source | Harvard T.H. Chan School of Public Health](https://www.hsph.harvard.edu/nutritionsource/copper/) (<https://www.hsph.harvard.edu/nutritionsource/copper/>).

From Environmental Protection Agency

Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively

short amount of time could experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's disease should consult their personal doctor.

How to Protect Yourself and Your Family

Drinking water with more than 1,300 micrograms of copper per liter of water ($\mu\text{g/L}$) * can be a health risk for everyone. Infants and people with Wilson's disease may need water with an even lower level of copper to stay safe.

Copper can get into your drinking water as it passes through your plumbing system. Over time, plumbing parts with copper in them usually build up a natural coating that prevents copper from being dissolved into the water. Plumbing systems with copper parts less than three years old usually have not had time to build up this protective coating.

Knowing about your home's plumbing system can help you understand your potential exposure to copper from your drinking water. If you cannot determine what type of material your home is plumbed with, consult a plumber, building inspector, or other qualified person.

You can take the steps below to help keep your drinking water safe:

1. **Let the water run** for at least 30-60 seconds before using it for drinking or cooking if the water has not been turned on in over six hours.
2. **Use cold water** for drinking, making food, and making baby formula. Hot water releases more copper from pipes than cold water.
3. **Test your water.** In most cases, letting the water run and using cold water for drinking and cooking should keep copper levels low in your drinking water. If you are still concerned about copper, arrange with a certified laboratory to test your tap water. Testing your water for copper is important if an infant or someone with Wilson's disease drinks your tap water. Minnesota Department of Health (MDH) recommends using an accredited laboratory. See [Search for Accredited Laboratories](https://eldo.web.health.state.mn.us/public/accreditedlabs/labsearch.seam) (<https://eldo.web.health.state.mn.us/public/accreditedlabs/labsearch.seam>). Contact the laboratory to get sample containers and instructions or ask your county environmental or public health services if they provide water testing services.
4. If tests show you have levels of copper over 1,300 µg/L in your drinking water after you let the water run 30-60 seconds, you may want to consider home water treatment. See [Home Water Treatment](https://www.health.state.mn.us/communities/environment/water/factsheet/hometreatment.html) (<https://www.health.state.mn.us/communities/environment/water/factsheet/hometreatment.html>).

* 1 microgram per liter (µg/L) = 1 part per billion (ppb)

If you own a private well

Copper is not usually found in the groundwater that feeds your well. Copper may enter your drinking water as it travels through your plumbing system. If your plumbing system has parts made with copper, follow the steps above to help keep your drinking water safe.

If you have a new well connected to your drinking water system, the new well may have different water characteristics than your old well. Be aware that the water from the new well may dissolve copper from your plumbing.

If you are on a public water system

The U.S. Environmental Protection Agency (EPA) has an action level of 1,300 µg/L for public water systems serving places where people live, work, go to school, and receive childcare. These systems have to take actions to reduce the amount of copper in the water if more than 10 percent of the water samples they take from homes and sampling sites served by the system have copper levels over 1,300 µg/L.

You can find the level of copper detected in a community water system (systems serving where you live) by reading the system's Water Quality Report (also known as a Consumer Confidence Report (CCR)). You can call your community water system to get a copy of your CCR, or you may be able to find it online at [Find Your Local CCR](https://www.health.state.mn.us/communities/environment/water/com/ccr.html) (<https://www.health.state.mn.us/communities/environment/water/com/ccr.html>). Remember that your home may have higher levels of copper in drinking water than the homes your public water system

tested. Follow the steps above to help keep your drinking water safe.

Noncommunity water systems serving schools, offices, factories, and childcare facilities test for copper; you can contact your noncommunity system to find the level of copper detected in the system.

Noncommunity systems serving restaurants, resorts, and campgrounds are not required to test for copper.

Background Information

Very few homes constructed in the last 20 years are plumbed with copper due to the cost. Most newer homes are plumbed with plastic piping (like PEX or PVC) but may still use copper fittings or components.

Older homes are more likely to have copper piping and copper can get into drinking water if the water moving through the plumbing system is corrosive. Corrosive water can dissolve copper in plumbing parts. Pinhole leaks, pitting in your pipes, or blue green stains on plumbing fixtures may be signs that you have corrosive water. If you see signs of corrosive water, [Lead in Drinking Water](https://www.health.state.mn.us/communities/environment/water/contaminants/lead.html) (<https://www.health.state.mn.us/communities/environment/water/contaminants/lead.html>) may also be problem. Water with a lot of dissolved copper in it can make drinking water taste or smell bad or give it a blue color.

Copper in Minnesota Water

Some groundwater in Minnesota can be corrosive enough to dissolve copper. Although the pH of groundwater in Minnesota is normally high enough to prevent water from dissolving copper, there

are other water qualities that may contribute to corrosion.

Public water systems monitor how corrosive water is to reduce the risk of lead and copper getting into drinking water. Learn more about copper and lead levels in Minnesota public water systems at [Drinking Water Protection Annual Reports](https://www.health.state.mn.us/communities/environment/water/dwar.html) (<https://www.health.state.mn.us/communities/environment/water/dwar.html>).

In 1999, the Minnesota Pollution Control Agency found that none of the 954 wells they tested in Minnesota had copper levels over the EPA action level.

What MDH is Doing

MDH regulates public water systems by:

- Approving public water systems' treatment plans
- Enforcing the [Safe Drinking Water Act](https://www.epa.gov/sdwa/title-xiv-public-health-service-act-safety-public-water-systems-safe-drinking-water-act-0) (<https://www.epa.gov/sdwa/title-xiv-public-health-service-act-safety-public-water-systems-safe-drinking-water-act-0>), which has a specific part addressing lead and copper
- Testing public water systems

MDH also studies the presence and risk of chemicals, such as [Copper Sulfate and Chromated Copper Arsenate](https://www.health.state.mn.us/communities/environment/risk/docs/guidance/dwec/screening/coppersulfate.pdf) (<https://www.health.state.mn.us/communities/environment/risk/docs/guidance/dwec/screening/coppersulfate.pdf>), that break down into copper and can enter water.

What Other Groups are Doing?

The Agency for Toxic Substances and Disease Registry provides a [Toxicological Profile for Copper](#)

<http://www.atsdr.cdc.gov/toxprofiles/TP.asp?id=206&tid=37>).

A new U.S. Geological Survey [Study Shows High Potential for Groundwater to be Corrosive in Half of U.S. States](https://www.usgs.gov/news/new-study-shows-high-potential-groundwater-be-corrosive-half-us-states-0) (<https://www.usgs.gov/news/new-study-shows-high-potential-groundwater-be-corrosive-half-us-states-0>).

Minnesota Department of Health
Environmental Health Division
651-201-4571
www.health.state.mn.us

10/30/2024

To obtain this information in a different format,
call: 651-201-4571.

Subject: Lead and Copper Results

Date: November 5, 2025

PWSID: 1020029

System Name: Spring Lake Park

Results summary:

- ❖ **No exceedance in lead or copper action levels.**
- ❖ 90th percentile lead: 2 µg/L.
- ❖ 90th percentile copper: 197 µg/L.
- ❖ Current monitoring period for lead and copper: Triennial.
- ❖ Next round of monitoring: **June - September 2028**
- ❖ Number of samples to be collected in next monitoring period: **20** samples.

Recommended actions:

Spring Lake Park has done well in maintaining action levels through its tenth Triennial monitoring round. The system had submitted a site plan detailing the sites they were using as required by MDH. The system should contact MDH with any changes or updates related to lead and copper sampling or treatment.

Additional Information:

It is the system's responsibility to get samples collected from the best sites available in the distribution with respect to the current sample site tier criteria. As you continue to confirm more information about the sites available in the distribution, you should ensure to update your sample site plan accordingly to comply with rule requirements. You can find resources on sample site plan development on the MDH "Lead and Copper Site Plan Updates web page here: [Lead and Copper Site Plan Updates - MN Dept. of Health \(state.mn.us\)](https://www.health.state.mn.us/communities/environment/water/contaminants/lead.html)

MDH encourages all public water supplies to actively provide educational material about reducing exposure to lead and/or copper in drinking water. For more information that you can provide residents please see our "Lead in Drinking Water" web page on the MDH website:

<https://www.health.state.mn.us/communities/environment/water/contaminants/lead.html>

[Or scan this QR code from your mobile device:](#)



Contact Information:

Please contact your District Engineer or DWP Compliance Officer, Jackie Becker at 651-478-0805 with any questions relating to the Lead and Copper Rule and/or corrosion control treatment and treatment optimization, and pre-notify MDH of any treatment modifications or changes by emailing Jackie.r.becker@state.mn.us.